

High Frequency Active Auroral Research Program

The **High Frequency Active Auroral Research Program** (**HAARP**) was initiated as an ionospheric research program jointly funded by the U.S. Air Force, the U.S. Navy, the University of Alaska Fairbanks and the Defense Advanced Research Projects Agency (DARPA).^[1] It was designed and built by BAE Advanced Technologies (BAEAT). Its original purpose was to analyze the ionosphere and investigate the potential for developing ionospheric enhancement technology for radio communications and surveillance.^[2] As a university-owned facility, HAARP is a high-power, high-frequency transmitter used for study of the ionosphere.

The most prominent instrument at HAARP is the Ionospheric Research Instrument (IRI), a high-power radio frequency transmitter facility operating in the high frequency (HF) band. The IRI is used to temporarily excite a limited area of the ionosphere. Other instruments, such as a VHF and a UHF radar, a fluxgate magnetometer, a digisonde (an ionospheric sounding device), and an induction magnetometer, are used to study the physical processes that occur in the excited region.

Work on the HAARP facility began in 1993. The current working IRI was completed in 2007; its prime contractor was BAE Systems Advanced Technologies.^[1] As of 2008, HAARP had incurred around \$250 million in tax-funded construction and operating costs. In May 2014, it was announced that the HAARP program would be permanently shut down later in the year.^[3] After discussions between the parties, ownership of the facility and its equipment was transferred to the University of Alaska Fairbanks in August 2015.^[4]

HAARP is a target of conspiracy theorists who claim that it is capable of "weaponizing" weather. Commentators and scientists say that advocates of this theory are uninformed, as claims made fall well outside the abilities of the facility, if not the scope of natural science.^{[5][6]}

High Frequency Active Auroral Research Program Research Station



Established	1993
Field of research	Ionosphere
Location	Gakona, Alaska, United States
Operating agency	University of Alaska Fairbanks

Contents

History

Project overview

Research

Instrumentation and operation

Site

Related facilities

Conspiracy theories

See also

References

Further reading

History

HAARP (High Frequency Active Auroral Research Program) began in 1990. [Ted Stevens](#), Republican U.S. senator from Alaska, helped win approval for the facility^[7] and construction began in 1993.

In early May 2013, HAARP was temporarily shut down, awaiting a change between contractors to operate the facility. In July 2013, HAARP program manager James Keeney said, "[Defense Advanced Research Projects Agency \(DARPA\)](#) is expected on site as a client to finish up some research in fall 2013 and winter 2014."^{[8][9]} The temporary shutdown was described as being due to "a contractor regime change." [Ahtna, Incorporated](#) the [Alaska Native corporations](#) serving the region of Alaska where the HAARP site is located, was reportedly in talks to take over the facility administration contract from Marsh Creek, LLC.^[10]

In May 2014, the Air Force announced that the HAARP program would be shut down later in 2014.^{[3][11]} While experiments ended in the summer of 2014, the complete shutdown and dismantling of the facility was postponed until at least May 2015.^[12] In mid-August 2015 control of the facility and its equipment was turned over to the University of Alaska Fairbanks, which is making the facilities available for researchers on a pay-per-use basis.^[13]

Project overview

The HAARP project directs a 3.6 MW signal, in the 2.8–10 MHz region of the HF (high-frequency) band, into the ionosphere. The signal may be pulsed or continuous. Effects of the transmission and any recovery period can be examined using associated instrumentation, including VHF and UHF radars, HF receivers, and optical cameras. According to the HAARP team, this will advance the study of basic natural processes that occur in the ionosphere under the natural but much stronger influence of solar interaction. HAARP also enables studies of how the natural ionosphere affects radio signals.



HAARP antenna array

The insights gleaned at HAARP will enable scientists to develop methods to mitigate these effects to improve the reliability or performance of communication and navigation systems which would have a wide range of both civilian and military uses, such as an increased accuracy of GPS navigation and advances in underwater and underground research and applications. This may lead, among other things, to improved methods for submarine communication or an ability to remotely sense and map the mineral content of the terrestrial subsurface, and perhaps underground complexes, of regions or countries. The current facility lacks range to be used in regions like the oil-rich Middle East, according to one of the researchers involved, but the technology could be put on a mobile platform.^[14]

The project was originally funded by the [Office of Naval Research](#) and jointly managed by the ONR and [Air Force Research Laboratory](#), with principal involvement of the University of Alaska Fairbanks. Many other US universities and educational institutions were involved in the development of the project and its instruments, namely the [University of Alaska Fairbanks](#), [Stanford University](#), [Penn State University \(ARL\)](#), [Boston College](#), [UCLA](#), [Clemson University](#), [Dartmouth College](#), [Cornell University](#), [Johns Hopkins University](#), [University of Maryland, College Park](#), [University of Massachusetts Amherst](#), [MIT](#), [Polytechnic Institute of New York University](#), [Virginia Tech](#) and the [University of Tulsa](#). The project's specifications were developed by the universities, who continued to play a major role in the design of future research efforts.

According to HAARP's original management, the project strove for openness, and all activities were logged and publicly available, a practice which continues under the University of Alaska Fairbanks. Scientists without security clearances, even foreign nationals, were routinely allowed on site, which also continues today. HAARP hosts an open house annually during which time any civilian can

tour the entire facility. In addition, scientific results obtained using HAARP are routinely published in major research journals (such as *Geophysical Research Letters* and *Journal of Geophysical Research*), written both by university scientists (American and foreign) and by U.S. Department of Defense research lab scientists.

Research

HAARP's main goal is basic science research in the uppermost portion of the atmosphere, termed the ionosphere. Essentially a transition between the atmosphere and the magnetosphere, the ionosphere is where the atmosphere is thin enough that the sun's X-rays and UV rays can reach it, but thick enough that there are enough molecules present to absorb those rays. Consequently, the ionosphere consists of a rapid increase in density of free electrons, beginning at ~70 km, reaching a peak at ~300 km, and then falling off again as the atmosphere disappears entirely by ~1,000 km. Various aspects of HAARP can study all of the main layers of the ionosphere.

The profile of the ionosphere is highly variable, changing constantly on timescales of minutes, hours, days, seasons, and years. This profile becomes even more complex near Earth's magnetic poles, where the nearly vertical alignment and intensity of earth's magnetic field can cause physical effects like the aurora.

The ionosphere is traditionally very difficult to measure. Balloons cannot reach it because the air is too thin, but satellites cannot orbit there because the air is too thick. Hence, most experiments on the ionosphere give only small pieces of information. HAARP approaches the study of the ionosphere by following in the footsteps of an ionospheric heater called EISCAT near Tromsø, Norway. There, scientists pioneered exploration of the ionosphere by perturbing it with radio waves in the 2–10 MHz range, and studying how the ionosphere reacts. HAARP performs the same functions but with more power and a more flexible and agile HF beam.

Some of the main scientific findings from HAARP include:

1. Generating very low frequency (VLF) radio waves by modulated heating of the auroral electrojet, useful because generating VLF waves ordinarily requires gigantic antennas
2. Generating weak luminous glow (measurable, but below that visible with a naked eye) from absorbing HAARP's signal
3. Generating extremely low frequency (ELF) waves in the 0.1 Hz range. These are next to impossible to produce any other way, because the length of an antenna is dictated by the wavelength of the signal it emits or receives.
4. Generating whistler-mode VLF signals that enter the magnetosphere and propagate to the other hemisphere, interacting with Van Allen radiation belt particles along the way
5. VLF remote sensing of the heated ionosphere

Research at the HAARP has included:

1. Plasma line observations
2. Stimulated electron emission observations
3. Gyro frequency heating research
4. Spread F observations (blurring of ionospheric echoes of radio waves due to irregularities in electron density in the layer)
5. High-velocity trace runs
6. Airglow observations
7. Heating induced scintillation observations
8. VLF and ELF generation observations^[15]
9. Radio observations of meteors
10. Polar mesospheric summer echoes (PMSE) have been studied, probing the mesosphere using the IRI as a powerful radar, and with a 28 MHz radar and two VHF radars at 49 MHz and 139 MHz. The presence of multiple radars spanning both HF and VHF bands allows scientists to make comparative measurements that may someday lead to an understanding of the processes that form these elusive phenomena.
11. Research into extraterrestrial HF radar echos: the Lunar Echo experiment (2008)^{[16][17]}
12. Testing of Spread Spectrum Transmitters (2009)
13. Meteor shower impacts on the ionosphere
14. Response and recovery of the ionosphere from solar flares and geomagnetic storms
15. The effect of ionospheric disturbances on GPS satellite signal quality

16. Producing high density plasma clouds in Earth's upper atmosphere^[18]

17. Underground imaging^[19]

Research conducted at the HAARP facility has allowed the US military to perfect communications with its fleet of submarines by sending radio signals over long distances.^{[20][21]}

Instrumentation and operation

The main instrument at HAARP is the Ionospheric Research Instrument (IRI). This is a high-power, high-frequency phased array radio transmitter with a set of 180 antennas, disposed in an array of 12x15 units that occupy a rectangle of about 30–40 acres (12–16 hectares).^{[22][23]} The IRI is used to temporarily energize a small portion of the ionosphere. The study of these disturbed volumes yields important information for understanding natural ionospheric processes.

During active ionospheric research, the signal generated by the transmitter system is delivered to the antenna array and transmitted in an upward direction. At an altitude between 70 to 350 km (43 to 217 mi) (depending on operating frequency), the signal is partially absorbed in a small volume several tens of kilometers in diameter and a few meters thick over the IRI. The intensity of the HF signal in the ionosphere is less than 3 $\mu\text{W}/\text{cm}^2$, tens of thousands of times less than the Sun's natural electromagnetic radiation reaching the earth and hundreds of times less than even the normal random variations in intensity of the Sun's natural ultraviolet (UV) energy which creates the ionosphere. The small effects that are produced, however, can be observed with the sensitive scientific instruments installed at the HAARP facility, and these observations can provide information about the dynamics of plasmas and insight into the processes of solar-terrestrial interactions.^[24]

Each antenna element consists of a crossed dipole that can be polarized for linear, ordinary mode (O-mode), or extraordinary mode (X-mode) transmission and reception.^{[25][26]} Each part of the two section crossed dipoles are individually fed from a specially designed, custom-built transmitter that operates at very low distortion levels. The Effective Radiated Power (ERP) of the IRI is limited by more than a factor of 10 at its lower operating frequencies. Much of this is due to higher antenna losses and a less efficient antenna pattern.

The IRI can transmit between 2.7 and 10 MHz, a frequency range that lies above the AM radio broadcast band and well below Citizens' Band frequency allocations. However, HAARP is licensed to transmit only in certain segments of this frequency range. When the IRI is transmitting, the bandwidth of the transmitted signal is 100 kHz or less. The IRI can transmit in continuous waves (CW) or in pulses as short as 10 microseconds (μs). CW transmission is generally used for ionospheric modification, while transmission in short pulses frequently repeated is used as a radar system. Researchers can run experiments that use both modes of transmission, first modifying the ionosphere for a predetermined amount of time, then measuring the decay of modification effects with pulsed transmissions.

There are other geophysical instruments for research located at the HAARP facility. Some of them are:

- A fluxgate magnetometer built by the University of Alaska Fairbanks Geophysical Institute, available to chart variations in the Earth's magnetic field. Rapid and sharp changes of the magnetic field may indicate geomagnetic storm.
- A digisonde that can provide ionospheric profiles, allowing scientists to choose appropriate frequencies for IRI operation. The HAARP makes current and historic digisonde information available online.
- An induction magnetometer provided by the University of Tokyo, that measures the changing geomagnetic field in the Ultra Low Frequency (ULF) range of 0–5 Hz.

The facility is powered by a set of five (5) 2500 kilowatt generators being driven by EMD 20-645-E4 diesel locomotive engines.

Site

The project site (62°23'30"N 145°09'03"W) is north of Gakona, Alaska just west of Wrangell-Saint Elias National Park. An environmental impact statement led to permission for an array of up to 180 antennas to be erected.^[27] HAARP was constructed at the previous site of an over-the-horizon radar (OTH) installation. A large structure, built to house the OTH now houses the HAARP control room, kitchen and offices. Several other small structures house various instruments.

The HAARP site was constructed in three distinct phases.^[28]

1. The **Developmental Prototype**(DP) had 18 antenna elements, organized in three columns by six rows. It was fed with a total of 360 kilowatts (kW) combined transmitter output power. The DP transmitted just enough power for the most basic of ionospheric testing.
2. The **Filled Developmental Prototype**(FDP) had 48 antenna units arrayed in six columns by eight rows, with 960 kW of transmitter power. It was fairly comparable to other ionospheric heating facilities. This was used for a number of successful scientific experiments and ionospheric exploration campaigns over the years.
3. The **Final IRI** (FIRI) is the final build of the IRI. It has 180 antenna units, organized in 15 columns by 12 rows, yielding a theoretical maximum gain of 31 dB. A total of 3.6 MW of transmitter power will feed it, but the power is focused in the upward direction by the geometry of the large phased array of antennas which allow the antennas to work together in controlling the direction. As of March 2007, all the antennas were in place, the final phase was completed and the antenna array was undergoing testing aimed at fine-tuning its performance to comply with safety requirements required by regulatory agencies. The facility officially began full operations in its final 3.6 MW transmitter power completed status in the summer of 2007, yielding an effective radiated power (ERP) of 5.1 Gigawatts or 97.1 dBW at maximum output. However the site typically operates at a fraction of that value due to the lower antenna gain exhibited at standard operational frequencies.^[29]

Related facilities

In America, there are two related ionospheric heating facilities: the HIPAS, near Fairbanks, Alaska, which was dismantled in 2009, and one at the Arecibo Observatory^[30] in Puerto Rico (currently offline for reconstruction). The European Incoherent Scatter Scientific Association(EISCAT) operates an ionospheric heating facility capable of transmitting over 1 GW effective radiated power (ERP), near Tromsø, Norway.^[31] The Sura Ionospheric Heating Facility in Vasilsursk, Russia, near Nizhny Novgorod is capable of transmitting 190 MW ERP.

Conspiracy theories

HAARP is the subject of numerous conspiracy theories. Various individuals have speculated about hidden motivations and capabilities of the project. For example, Rosalie Bertell warned in 1996 about the deployment of HAARP as a military weapon.^[32] Michel Chossudovsky stated in a book published by the Committee on Monetary and Economic Reform that "recent scientific evidence suggests that HAARP is fully operational and has the capability of triggering floods, hurricanes, droughts and earthquakes."^[33] Over time, HAARP has been blamed for generating such catastrophes, as well as thunderstorms in Iran, Pakistan, Haiti, Turkey, Greece and the Philippines, and even major power outages, the downing of TWA Flight 800, Gulf War syndrome, and chronic fatigue syndrome.^{[6][34][35]}

Allegations include the following:

- Nick Begich Jr., the son of the late U.S. Representative Nick Begich and brother of former U.S. Senator Mark Begich, is the author of *Angels Don't Play This HAARP*. He has claimed that the HAARP facility could trigger earthquakes and turn the upper atmosphere into a giant lens so that "the sky would literally appear to burn." He maintains a website that claims HAARP is a mind control device.^{[36][37]}
- A Russian military journal wrote that ionospheric testing would "trigger a cascade of electrons that could flip Earth's magnetic poles".^[36]
- The Alaska state legislature and the European Parliament held hearings about HAARP, the latter citing environmental concerns.^[38]
- Former Governor of Minnesota ex-professional wrestler and documentary maker Jesse Ventura questioned whether the government is using the site to manipulate the weather or to bombard people with mind-controlling radio waves. An Air Force spokeswoman said Ventura made an official request to visit the research station but was rejected. "He and his crew showed up at HAARP anyway and were denied access."^[39]
- Physicist Bernard Eastlund claimed that HAARP includes technology based on his own patents that has the capability to modify weather and neutralize satellites.^[5]
- It has been proposed as a cause of low frequency background hum said to be heard in various locales.^[40]

Two Georgia men arrested on drug charges in November 2016 were reportedly plotting domestic terrorism based on conspiracy theories about HAARP. The Coffee County Sheriff's Office said the men possessed a "massive arsenal" that included AR-15 rifles, Glock handguns, a Remington rifle and thousands of rounds of ammunition. According to police, the men wanted to destroy HAARP.

because they believed the facility manipulates the weather, controls minds and even traps the souls of people. Police say the men confessed that "God told them to go and blow this machine up that kept souls, so souls could be released."^{[41][42]}

Stanford University professor Umran Inan told *Popular Science* that weather-control conspiracy theories were "completely uninformed," explaining that "there's absolutely nothing we can do to disturb the Earth's [weather] systems. Even though the power HAARP radiates is very large, it's minuscule compared with the power of a lightning flash—and there are 50 to 100 lightning flashes every second. HAARP's intensity is very small."^[5] Computer scientist David Naiditch characterizes HAARP as "a magnet for conspiracy theorists," saying that HAARP attracts their attention because, "its purpose seems deeply mysterious to the scientifically uninformed."^[6] Journalist Sharon Weinberger called HAARP "the Moby Dick of conspiracy theories," and said the popularity of conspiracy theories often overshadows the benefits HAARP may provide to the scientific community.^{[43][44]} Austin Baird writing in the Alaska Dispatch said, "What makes HAARP susceptible to conspiracy criticism is simple. The facility doesn't open its doors in the same way as other federally-funded research facilities around the country, and it doesn't go to great efforts to explain the importance of its research to the public."^[34] In 2016, in response to these claims, the University of Alaska Fairbanks Geophysical Institute, which manages the facility, announced that HAARP will host an annual open house in August, allowing visitors to tour the complex.^[45]

See also

- EISCAT
- Geophysical Institute
- HIPAS Observatory
- Ionospheric reflection
- Poker Flat Research Range
- Riometer
- SuperDARN
- Sura Ionospheric Heating Facility

References

1. "HAARP Fact Sheet"(<https://web.archive.org/web/20091007235012/http://www.haarp.alaska.edu/haarp/factSheet.html>). HAARP. 15 June 2007. Archived from the original (<http://www.haarp.alaska.edu/haarp/factSheet.html>) on 7 October 2009. Retrieved 27 September 2009.
2. "Purpose and Objectives of the HAARP Program"(<https://web.archive.org/web/20091001114140/http://www.haarp.alaska.edu/haarp/prpeis.html>) HAARP. Archived from the original (<http://www.haarp.alaska.edu/haarp/prpeis.html>) on 1 October 2009. Retrieved 27 September 2009.
3. Dermot Cole (14 May 2014). "Air Force prepares to dismantle HAARP ahead of summer shutdown"(<https://web.archive.org/web/20140517010257/http://www.adn.com/2014/05/14/3470442/air-force-prepares-to-dismantle.html>) Anchorage Daily News. Archived from the original (<http://www.adn.com/2014/05/14/3470442/air-force-prepares-to-dismantle.html>) on 17 May 2014.
4. Rozell, Ned (6 September 2015). "Under new management, Alaska's HAARP facility open for business again"(<http://www.adn.com/article/20150906/under-new-management-alaskas-haarp-facility-open-business-again>) *Alaska Dispatch News*. Retrieved 10 September 2015.
5. Streep, Abe. "The Military's Mystery Machine: The High-frequency Active Auroral Research Program, or HAARP, has been called a missile-defense tool and a mind-control device. The truth is a bit less ominous"(<http://www.popsci.com/military-aviation-space/article/2008-06/militarys-mystery-machine>) 06.18.2008. Popular Science Retrieved 12 December 2012.
6. Naiditch, David (Spring 2003). "Is baked Alaska half-baked?"(<http://www.skeptic.com/eskeptic/10-03-03/#feature>). Skeptic Magazine Retrieved 25 January 2010.
7. Weinberger, Sharon (16 May 2014). "US ionospheric research facility to close"(<http://www.nature.com/news/us-ionospheric-research-facility-to-close-1.15243>) *Nature*. Nature. Retrieved 18 August 2014.
8. "HAARP Facility Shuts Down"(<http://www.arrl.org/news/view/haarp-facilityshuts-down>). ARRL. Retrieved 16 July 2013.

9. Byrd, Deborah. "Crazy weather? You can't blame HAARP anymore" (<http://earthsky.org/earth/crazy-weather-youcant-blame-haarp-anymore>) EarthSky, 16 July 2013. Retrieved 17 July 2013.
10. Anderson, Ben (18 July 2013). "Alaska's controversial HAARP facility closed – will it come back online?" (<http://www.alaskadispatch.com/article/20130717/alaska-s-controversial-haarp-facility-closed-will-it-come-back-online>) *Alaska Dispatch*. Retrieved 18 July 2013.
11. Brumfiel, Geoff (10 June 2014). "Bye-Bye To The Home Of A Favorite Internet Conspiracy Theory" (<https://www.npr.org/2014/06/10/319539712/bye-bye-to-the-home-of-a-favorite-internet-conspiracy-theory>) *NPR*. Retrieved 2014-06-11.
12. Cole, Dermot (2 July 2014). "HAARP closure postponed until 2015" (<http://www.adn.com/article/20140702/haarpclosure-postponed-until-2015>) *Alaska Dispatch News*. Retrieved 2015-06-03.
13. McCoy, Robert (2015). "Future Operations of HAARP with the UAF's Geophysical Institute" (<https://fallmeeting.agu.org/2015/abstract/future-operations-of-haarp-with-the-uafs-geophysical-institute/>) *Agu Fall Meeting Abstracts* American Geophysical Union Fall Meeting 2015. Bibcode: 2015AGUFMAE22A..07M (<http://adsabs.harvard.edu/abs/2015AGUFMAE22A..07M>) AE22A-07. Retrieved 10 September 2015.
14. Pentagon Scientists Target Iran's Nuclear Mole Men (<https://www.wired.com/dangerroom/2010/01/irans-nuclear-molemen/>)
15. "Archived copy" (<https://web.archive.org/web/20110403204831/http://www.starstanford.edu/~vlf/publications/2008-03.pdf>) (PDF). Archived from the original (<http://www.starstanford.edu/~vlf/publications/2008-03.pdf>) (PDF) on 3 April 2011. Retrieved 2 September 2009.
16. Reeve, W.D. (2008). "The Lunar Echo Experiment (Part 1)". *Radio User*. **3** (8): 56–58. ISSN 1748-8117 (<https://www.worldcat.org/issn/1748-8117>)
17. Reeve, W.D. (2008). "The Lunar Echo Experiment (Part 2)". *Radio User*. **3** (9): 56–57. ISSN 1748-8117 (<https://www.worldcat.org/issn/1748-8117>)
18. "NRL Scientists Produce Densest Artificial Ionospheric Plasma Clouds Using HAARP" (<http://www.nrl.navy.mil/media/news-releases/2013/nrl-scientists-produce-densest-artificial-ionospheric-plasma-clouds-using-haarp>) (press release). U.S. Naval Research Lab. 2013-02-25. Retrieved 5 April 2013. "Using the 3.6-megawatt high-frequency (HF) HAARP transmitter, the plasma clouds, or balls of plasma, are being studied for use as artificial mirrors at altitudes 50 kilometers below the natural ionosphere and are to be used for reflection of HF radar and communications signals. Past attempts to produce electron density enhancements have yielded densities of 4×10 electrons per cubic centimeter (cm^3) using HF radio transmissions near the second, third, and fourth harmonics of the electron cyclotron frequency. This frequency near 1.44 MHz is the rate that electrons gyrate around the Earth's magnetic field. The NRL group succeeded in producing artificial plasma clouds with densities exceeding 9×10 electrons cm^3 using HAARP transmission at the sixth harmonic of the electron cyclotron frequency."
19. "Detection and Imaging of Underground Structures Using ELF/VLF Radio Waves" (<https://www.globalsecurity.org/intell/systems/haarp.htm>) GlobalSecurity. Retrieved 13 July 2018.
20. Bailey, Patrick; Worthington, Nancy (27 July 1997). "History and applications of HAARP technologies: the High Frequency Active Auroral Research Program" (http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=661959&tag=1) IEEE. Retrieved 19 September 2013.
21. Barr, R.; Llanwyn Jones, D.; Rodger C.J. (2000). "ELF and VLF radio waves" (<http://www.sciencedirect.com/science/article/pii/S1364682600001218>) *Journal of Atmospheric and Solar Terrestrial Physics* **62** (17–18): 1689–1718. Bibcode: 2000JASTP.62.1689B (<http://adsabs.harvard.edu/abs/2000JASTP.62.1689B>). doi:10.1016/S1364-6826(00)00121-8 (<https://doi.org/10.1016%2FS1364-6826%2800%2900121-8>) Retrieved 19 September 2013.
22. "Opportunities for High-Power High-Frequency Transmitters to Advance Ionospheric/Thermospheric Research: Report of a Workshop" (<https://www.nap.edu/read/18620/chapter/2>) National Academies Press. National Academy of Sciences, Engineering, and Medicine. 2014. Retrieved 8 feb 2017
23. "Ionospheric Manipulation Made Easy" (<https://books.google.com/books?id=9jsEAAAAMBAJ&pg=PA62&dq>), Abe Streep. Popular Science Vol. 273, No. 1. July 2008. Retrieved 8 feb 2017
24. "Technical Information" (<https://web.archive.org/web/20091002090806/http://www.haarp.alaska.edu/haarp/tech.html>) HAARP. 12 April 2007. Archived from the original (<http://www.haarp.alaska.edu/haarp/tech.html>) on 2 October 2009. Retrieved 27 September 2009.
25. "The HAARP Antenna Array" (<https://web.archive.org/web/20070415111323/http://www.haarp.alaska.edu/haarp/ant3.html>). HAARP. Archived from the original (<http://www.haarp.alaska.edu/haarp/ant3.html>) on 15 April 2007. Retrieved 27 September 2009.

26. "Details of the HAARP Antenna Design"(<https://web.archive.org/web/20070513135131/http://www.haarp.alaska.edu/haarp/ant2.html>). HAARP. Archived from the original (<http://www.haarp.alaska.edu/haarp/ant2.html>) on 13 May 2007. Retrieved 27 September 2009.
27. "The HAARP IRI As Described in the EIS"(<https://web.archive.org/web/20090925144409/http://www.haarp.alaska.edu/haarp/iriEis.html>) 17 May 2007. Archived from the original (<http://www.haarp.alaska.edu/haarp/iriEis.html>) on 25 September 2009. Retrieved 27 September 2009.
28. "Phases of Completion of the IRI"(<https://web.archive.org/web/20070501131817/http://www.haarp.alaska.edu/haarp/phases.html>). HAARP. Archived from the original (<http://www.haarp.alaska.edu/haarp/phases.html>) on 1 May 2007.
29. "HAARP IRI Performance Calculator"(<https://web.archive.org/web/20100419223036/http://www.haarp.alaska.edu/haarp/calci.html>). 10 May 2010. Archived from the original (<http://www.haarp.alaska.edu/haarp/calci.html>) on 19 April 2010. Retrieved 10 May 2010.
30. Link text (http://www.naic.edu/general_int/gen_wshops/AGRP%20workshop%20report5.pdf) Archived (https://web.archive.org/web/20101203075110/http://www.naic.edu/general_int/gen_wshops/AGRP%20workshop%20report5.pdf) 3 December 2010 at the [Wayback Machine](#)
31. B. Isham; C. La Hoz; M. T Rietveld; F. T. Djuth; T. Hagfors; T. Grydeland (October 2000). "High Latitude HF-Induced Plasma Turbulence" (<https://web.archive.org/web/20111108050251/http://www.kurasc.kyoto-u.ac.jp/s-ramp/abstract/s19.txt>). *The First S-RAMP Conference*. Archived from the original (<http://www.kurasc.kyoto-u.ac.jp/s-ramp/abstract/s19.txt>) on 8 November 2011. Retrieved 27 September 2009.
32. ROSALIE BERTELL, [Background on the HAARP Project](#)(<http://www.globalpolicy.org/component/content/article/212/45492.html>). Global Policy Forum, 5 November 1996
33. MICHEL CHOSSUDOVSKY, *Climate Manipulation as a War Weapon*, p181-182. In WILLIAM KREHM, *Meltdown : Money, Debt and Wealth of Nations : how Zero Inflation Policy is Leading the World's Monetary and Economic Systems to Collapse : an Anthology from the First Decade of Economic Reform*, COMER Publications, 1 January 1999
34. Baird, Austin (20 September 2011). "HAARP conspiracies: Guide to most far-out theories behind government research in Alaska" (<http://www.alaskadispatch.com/article/haarpconspiracies-guide-most-far-out-theories-behind-government-research-alaska>) *Alaska Dispatch*. Retrieved 8 December 2012.
35. Flock, Elizabeth (29 October 2012). "Conspiracy Theorists Say Obama Engineered Hurricane Sandy"(<https://www.usnews.com/news/blogs/washington-whispers/2012/10/29/conspiracy-theorists-say-obama-engineered-hurricane-sandy>). *US News & World Report*. Retrieved 8 December 2012.
36. Shachtman, Noah (20 July 2009). "Strange New Air Force Facility Energizes Ionosphere, Fans Conspiracy Flames" (http://archive.wired.com/politics/security/magazine/17-08/mf_haarp?currentPage=all) *Wired Magazine*. Retrieved 17 April 2011.
37. "About us - Dr. Nick Begich" (<http://www.earthpulse.com/src/category.asp?catid=13>) Retrieved 2 June 2011.
38. "EU clashes with US over atmosphere tests"(<http://physicsworld.com/cws/article/news/3302>) *physicsworld.com* IOP Publishing, 27 February 1998 Retrieved 17 April 2011.
39. Baenen, Jeff. "Ventura seeks out conspiracy theories at Alaska station" (http://juneauempire.com/stories/120309/sta_531557452.shtml) *Juneau Empire*. Retrieved 17 October 2011.
40. Josh Clark and Charles W "Chuck" Bryant (December 9, 2014). "How The Hum Works" (<http://www.stuffyoushouldknow.com/podcasts/how-the-hum-works/>) *Stuff You Should Know* (Podcast). [Blucora](#). Retrieved 2014-12-10.
41. Zak, Annie. "Georgia men plotted attack on Alaska aurora research facility to 'release souls,' detective says"(<https://www.adn.com/alaska-news/2016/11/01/2-men-arrested-in-georgia-planned-to-attack-alaska-aurora-research-facility-investigators-say/>) *ADN.com*. Alaska Dispatch News Retrieved 2 January 2017.
42. Buckets, Re-Essa. "Suspected terrorists believe research facility controls minds, traps souls"(<http://www.walb.com/story/33541811/suspected-terrorists-believes-research-facility-controls-minds-traps-souls>) *WALB.com*. WALB news. Retrieved 2 January 2017.
43. Weinberger, Sharon (23 April 2008). "Atmospheric physics: Heating up the heavens"(<http://www.nature.com/news/2008/080423/full/452930a.html>) *Nature*. Retrieved 21 January 2010.
44. Weinberger, Sharon (25 April 2008). "The Strange Life and Times of HAARP" (<https://www.wired.com/dangerroom/2008/04/haarp/>) *Wired Magazine*. Retrieved 21 January 2010.
45. <http://www.adn.com/alaska-news/science/2016/08/24/haarps-new-owner-holds-open-house-to-prove-facility-is-not-capable-of-mind-control/>


Further reading

- Y. Zaitsev (11 May 2007). "From radio telescopes to electromagnetic weapons" *Ria Novosti*. Retrieved 27 September 2009.
- "Evidence for Precipitation of Energetic Particles by Ionospheric "Heating" transmissions". *National Geophysical Data Center*. 7 December 2004. Retrieved 27 September 2009.
- J. E. Smith (6 May 2006). "HAARP Completed!". *Indybay*. Retrieved 27 September 2009.
- U. S. Inan; T. F. Bell. "Polar Aeronomy and Radio Science (PARS):ULF/ELF/VLF Project". *STAR Laboratory, Stanford University*. Archived from the original on 27 August 2009. Retrieved 27 September 2009.
- U. S. Inan; M. Golkowski; D. L. Carpenter; N. Reddell; R. C. Moore; T. F. Bell; E. Paschal; P. Kossey; E. Kennedy; S. Z. Meth (2004). "Multi-hop whistler-mode ELF/VLF signals and triggered emissions excited by the HAARP HF heater". *Geophysical Research Letters* **31** (24): L24805. Bibcode:2004GeoRL..3124805I doi:10.1029/2004GL021647.
- E. J. Kennedy; P. Rodriguez; C. A. Selcher "The High Frequency Active Auroral Research Program" Archived from the original on 5 March 2009. Retrieved 27 September 2009.
- H. L. Rowland (28 April 1999). "Simulations of ELF radiation generated by heating the high-latitude D- region" *Journal of Geophysical Research* **104** (A3): 4319–4327. Bibcode:1999JGR...104.4319R doi:10.1029/1998JA900156 Archived from the original on 27 April 2009. Retrieved 27 September 2009.
- Donald Koehler N7MGT "Secret Death Ray: Or is HAARP a useful science tool?" *73 Magazine* (December 1999): 14–17, 37, archived from the original on 23 July 2015, retrieved 21 December 2011 A first person account from an amateur radio operator who got a full tour of the HAARP site.

Patents

- C. W. Hansell (1945). "Communication system by pulses through the Earth", *U.S. Patent 2,389,432*
- R. L. Tanner (1965). "Extremely low-frequency antenna", *U.S. Patent 3,215,937*.
- G. F. Leydorf (1966). "Antenna near field coupling system" *U.S. Patent 3,278,937*.
- B. J. Eastlund (1987). "Method and apparatus for altering a region in the Earth's atmosphere, ionosphere, and/or magnetosphere", *U.S. Patent 4,686,605*
- B. J. Eastlund (1991). "Method for producing a shell of relativistic particles at an altitude above the earth's surface", *U.S. Patent 5,038,664*

External links

- [Official website](#) 
- [HAARP at EastlundScience.com](#) – website of [Bernard Eastlunds Scientific Enterprises Corporation](#).
- [HAARP executive summary](#)
- [GoogleMaps satellite image of HAARP](#)
- [HAARP – Ангелы и плазмойды](#) (in Russian)

Retrieved from 'https://en.wikipedia.org/w/index.php?title=High_Frequency_Active_Auroral_Research_Program&oldid=869798103'

This page was last edited on 20 November 2018, at 12:46 (UTC).

Text is available under the [Creative Commons Attribution-ShareAlike License](#); additional terms may apply. By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#). Wikipedia® is a registered trademark of the [Wikimedia Foundation, Inc.](#), a non-profit organization.